

## CURRICULUM VITAE

Prepared: April 7, 2020

**Yoko Ishii, M.D. & Ph.D.**

**Affiliation:** Department of Food and Health Sciences  
Faculty of Health and Human Development  
The University of Nagano

**Position:** Professor

**Office Address:** 8-49-7, Miwa, Nagano City, Nagano 380-8525, Japan

### **Education:**

Department of Medicine, Faculty of Medicine, Toyama Medical and Pharmaceutical University

### **Employment:**

- Medical Doctor, Internal Medicine, Toyama Kyoritsu Hospital
- Assistant Professor, Department of Pathology, Faculty of Medicine, Toyama Medical and Pharmaceutical University
- Postdoctoral Fellow, Department of Medical Cell Biology, Institute of Anatomy and Cell Biology, Göteborg University, Sweden
- Assistant Professor, Department of Pathology, Faculty of Medicine, University of Toyama
- Assistant Professor, Department of Pathology, Graduate School of Medicine and Pharmaceutical Sciences, University of Toyama
- Associate Professor, Department of Pathology, Graduate School of Medicine and Pharmaceutical Sciences, University of Toyama
- Professor, Department of Food and Health Sciences, Faculty of Health and Human Development, The University of Nagano

### **Research Interests:**

1. Neuroprotection against oxidative stress
2. Regeneration of central nervous system
3. AGEs (advanced glycation end products) and glycative stress
4. Neuroprotective effects of bioavailable polyphenols

**Publications:**

Hamashima T, Ishii Y, Nguyen QL, Okuno N, Sang Y, Matsushima T, Kurashige Y, Takebayashi H, Mori H, Fujimori T, Yamamoto S, Sasahara M. Oligodendrogenesis and myelin formation in the forebrain require platelet-derived growth factor receptor-alpha, *Neuroscience*, Accepted: April 1, 2020.

Dặng TC, Ishii Y, Nguyen V, Yamamoto S, Hamashima T, Okuno N, Nguyen QL, Sang Y, Ohkawa N, Saitoh Y, Shehata M, Takakura N, Fujimori T, Inokuchi K, Mori H, Andrae J, Betsholtz C, Sasahara M. Powerful Homeostatic Control of Oligodendroglial Lineage by PDGFR $\alpha$  in Adult Brain. *Cell reports*. 2019 27(4) 1073-1089.e5

Shen J, Xu G, Zhu R, Yuan J, Ishii Y, Hamashima T, Matsushima T, Yamamoto S, Takatsuru Y, Nabekura J, Sasahara M. PDGFR- $\beta$  restores blood-brain barrier functions in a mouse model of focal cerebral ischemia. *Journal of cerebral blood flow and metabolism : official journal of the International Society of Cerebral Blood Flow and Metabolism*. 2019 39(8) 1501-1515.

Kon K, Tsuneki H, Ito H, Takemura Y, Sato K, Yamazaki M, Ishii Y, Sasahara M, Rudich A, Maeda T, Wada T, Sasaoka T. Chronotherapeutic effect of orexin antagonists on glucose metabolism in diabetic mice. *The Journal of endocrinology* 2019 Aug 1.

Yamada K, Hamashima T, Ishii Y, Yamamoto S, Okuno N, Yoshida N, Yamada M, Huang TT, Shioda N, Tomihara K, Fujimori T, Mori H, Fukunaga K, Noguchi M, Sasahara M. Different PDGF Receptor Dimers Drive Distinct Migration Modes of the Mouse Skin Fibroblast. *Cell Physiol Biochem*. 2018 51(3) 1461-1479.

Tokunaga M, Nanjo S, Yoshita H, Fujinami H, Watanabe T, Ishii Y, Kobayashi S, Akashi M, Takagi H, Mihara H, Kajiura S, Ando T, Hashimoto I, Hojo S, Okumura T, Sugiyama T. Multiple Synchronous Sporadic Gastrointestinal Stromal Tumors in the Stomach and Jejunum. *Internal medicine (Tokyo, Japan)*. 2018 57(12) 1719-1723.

Kitahara H, Kajikawa S, Ishii Y, Yamamoto S, Hamashima T, Azuma E, Sato H, Matsushima T, Shibuya M, Shimada Y, Sasahara M. The Novel Pathogenesis of Retinopathy Mediated by Multiple RTK Signals is Uncovered in Newly Developed Mouse Model. *EBioMedicine*. 2018 31 190-201.

Ishii Y, Hamashima T, Yamamoto S, Sasahara M. Pathogenetic significance and possibility as a therapeutic target of platelet derived growth factor. *Pathology international*. 2017;67(5):235-246.

Wada T, Ishikawa A, Watanabe E, Nakamura Y, Aruga Y, Hasegawa H, Onogi Y, Honda H, Nagai Y, Takatsu K, Ishii Y, Sasahara M, Koya D, Tsuneki H, Sasaoka T. Eplerenone prevented obesity-induced inflammasome activation and glucose intolerance. *The Journal of endocrinology*. 2017;235(3):179-191.

Yunoki T, Tabuchi Y, Kondo T, Ishii Y, Hayashi A. Overexpression of the anti-apoptotic protein BAG3 in human choroidal melanoma: A case report. *Oncology letters*. 2017;13(6):4169-4172.

Onogi Y, Wada T, Kamiya C, Inata K, Matsuzawa T, Inaba Y, Kimura K, Inoue H, Yamamoto S, Ishii Y, Koya D, Tsuneki H, Sasahara M, Sasaoka T. PDGFR $\beta$  Regulates Adipose Tissue Expansion and Glucose Metabolism via Vascular Remodeling in Diet-Induced Obesity. *Diabetes*. 2017;66(4):1008-1021.

Tsuneki H, Kon K, Ito H, Yamazaki M, Takahara S, Toyooka N, Ishii Y, Sasahara M, Wada T, Yanagisawa M, Sakurai T, Sasaoka T. Timed Inhibition of Orexin System by Suvorexant Improved Sleep and Glucose Metabolism in Type 2 Diabetic db/db Mice. *Endocrinology*. 2016;157(11):4146-4157. Epub 2016 Sep 15.

Kawaguchi M, Hara N, Bilim V, Koike H, Suzuki M, Kim TS, Gao N, Dong Y, Zhang S, Fujinawa Y, Yamamoto O, Ito H, Tomita Y, Naruse Y, Sakamaki A, Ishii Y, Tsuneyama K, Inoue M, Itoh J, Yasuda M, Sakata N, Jung CG, Kanazawa S, Akatsu H, Minato H, Nojima T, Asai K, Miura Y. A diagnostic marker for superficial urothelial bladder carcinoma: lack of nuclear ATBF1 (ZFHX3) by immunohistochemistry suggests malignant progression. *BMC Cancer*. 2016 Oct 18;16(1):805.

Yamamoto S, Azuma E, Muramatsu M, Hamashima T, Ishii Y, Sasahara M. Significance of Extracellular Vesicles: Pathobiological Roles in Disease. *Cell Struct Funct*. 2016 Nov 25;41(2):137-143. Epub 2016 Sep 29. Review.

Hosaka K, Yang Y, Seki T, Fischer C, Dubey O, Fredlund E, Hartman J, Religa P, Morikawa H, Ishii Y, Sasahara M, Larsson O, Cossu G, Cao R, Lim S, Cao Y. Pericyte-fibroblast transition promotes tumor growth and metastasis. *Proc Natl Acad Sci U S A*. 2016 Sep 20;113(38):E5618-27.

Watanabe Y, Nagai Y, Honda H, Okamoto N, Yamamoto S, Hamashima T, Ishii Y, Tanaka M, Suganami T, Sasahara M, Miyake K, Takatsu K. Isoliquiritigenin Attenuates Adipose Tissue Inflammation in vitro and Adipose Tissue Fibrosis through Inhibition of Innate Immune Responses in Mice. *Sci Rep*. 2016 Mar 15;6:23097.

Zheng Y, Yamamoto S, Ishii Y, Sang Y, Hamashima T, Van De N, Nishizono H, Inoue R, Mori H, Sasahara M. Glioma-Derived Platelet-Derived Growth Factor-BB Recruits Oligodendrocyte Progenitor Cells via Platelet-Derived Growth Factor Receptor- $\alpha$  and Remodels Cancer Stroma. *Am J Pathol*. 2016 May;186(5):1081-91.

Horikawa S, Ishii Y, Hamashima T, Yamamoto S, Mori H, Fujimori T, Shen J, Inoue R, Nishizono H, Itoh H, Majima M, Abraham D, Miyawaki T, Sasahara M. PDGFR $\alpha$  plays a crucial role in connective tissue remodeling. *Sci Rep*. 2015 Dec 7;5:17948.

Sato H, Ishii Y, Yamamoto S, Azuma E, Takahashi Y, Hamashima T, Umezawa A, Mori H, Kuroda S, Endo S, Sasahara M. PDGFR- $\beta$  Plays a Key Role in the Ectopic Migration of Neuroblasts in Cerebral Stroke. *Stem Cells*. 2016 Mar;34(3):685-98.

Sameshima A, Wada T, Ito T, Kashimura A, Sawakawa K, Yonezawa R, Tsuneki H, Ishii Y, Sasahara M, Saito S, Sasaoka T. Teneligliptin improves metabolic abnormalities in a mouse model of postmenopausal obesity. *J Endocrinol*. 2015 Oct;227(1):25-36.

Akao T, Oyanagi Y, Shiotsuki S, Ishii Y, Sasahara M. Metabolism of dextran sulfate sodium by intestinal bacteria in rat cecum is related to induction of colitis. *Biol Pharm Bull*. 2015;38(4):566-70.

Nakamura T, Matsumoto J, Takamura Y, Ishii Y, Sasahara M, Ono T, Nishijo H. Relationships among parvalbumin-immunoreactive neuron density, phase-locked gamma oscillations, and autistic/schizophrenic symptoms in PDGFR- $\beta$  knock-out and control mice. *PLoS One*. 2015 Mar

24;10(3):e0119258.

Yamamoto S, Niida S, Azuma E, Yanagibashi T, Muramatsu M, Huang TT, Sagara H, Higaki S, Ikuuti M, Nagai Y, Takatsu K, Miyazaki K, Hamashima T, Mori H, Matsuda N, Ishii Y, Sasahara M. Inflammation-induced endothelial cell-derived extracellular vesicles modulate the cellular status of pericytes. *Sci Rep*. 2015 Feb 17;5:8505.

Hayashi S, Hamada T, Zaidi SF, Oshiro M, Lee J, Yamamoto T, Ishii Y, Sasahara M, Kadowaki M. Nicotine suppresses acute colitis and colonic tumorigenesis associated with chronic colitis in mice. *Am J Physiol Gastrointest Liver Physiol*. 2014 Nov 15;307(10):G968-78.

Wada T, Miyashita Y, Sasaki M, Aruga Y, Nakamura Y, Ishii Y, Sasahara M, Kanasaki K, Kitada M, Koya D, Shimano H, Tsuneki H, Sasaoka T. Eplerenone ameliorates the phenotypes of metabolic syndrome with NASH in liver-specific SREBP-1c Tg mice fed high-fat and high-fructose diet. *American journal of physiology. Endocrinology and metabolism*. 2013 305(11):E1415-25–1425.

Zheng LS, Ishii Y, Zhao QL, Kondo T, Sasahara M. PDGF suppresses oxidative stress induced  $\text{Ca}^{2+}$  overload and calpain activation in neurons. *Oxid Med Cell Longev*. 2013;2013:367206.

Zhao J, Urakawa S, Matsumoto J, Li R, Ishii Y, Sasahara M, Peng Y, Ono T, Nishijo H. Changes in Otx2 and parvalbumin immunoreactivity in the superior colliculus in the platelet-derived growth factor receptor- $\beta$  knockout mice. *Biomed Res Int*. 2013;2013:848265.

Wada T, Onogi Y, Kimura Y, Nakano T, Fusanobori H, Ishii Y, Sasahara M, Tsuneki H, Sasaoka T. Cilostazol ameliorates systemic insulin resistance in diabetic db/db mice by suppressing chronic inflammation in adipose tissue via modulation of both adipocyte and macrophage functions. *Eur J Pharmacol*. 2013 May 5;707(1-3):120-9.

Xu G, Shen J, Ishii Y, Fukuchi M, Dang TC, Zheng Y, Hamashima T, Fujimori T, Tsuda M, Funakoshi K, Sasahara M. Functional analysis of platelet-derived growth factor receptor- $\beta$  in neural stem/progenitor cells. *Neuroscience*. 2013 May 15;238:195-208.

Ichihara Y, Wada T, Soeda Y, Ishii Y, Sasahara M, Tsuneki H, Sasaoka T. SH2-containing inositol 5'-phosphatase 2 selectively impairs hypothalamic insulin signalling and regulation of food intake in mice. *J Neuroendocrinol*. 2013 Apr;25(4):372-82.

Yonezawa R, Wada T, Matsumoto N, Morita M, Sawakawa K, Ishii Y, Sasahara M, Tsuneki H, Saito S, Sasaoka T. Central versus peripheral impact of estradiol on the impaired glucose metabolism in ovariectomized mice on a high-fat diet. *Am J Physiol Endocrinol Metab*. 2012 Aug 15;303(4):E445-56.

Shioda N, Moriguchi S, Oya T, Ishii Y, Shen J, Matsushima T, Nishijo H, Sasahara M, Fukunaga K. Aberrant hippocampal spine morphology and impaired memory formation in neuronal platelet-derived growth factor  $\beta$ -receptor lacking mice. *Hippocampus*. 2012 22(6):1371-8.

Shen J, Ishii Y, Xu G, Dang TC, Hamashima T, Matsushima T, Yamamoto S, Hattori Y, Takatsuru Y, Nabekura J, Sasahara M. PDGFR- $\beta$  as a positive regulator of tissue repair in a mouse model of focal cerebral ischemia. *J Cereb Blood Flow Metab*. 2012 Feb;32(2):353-67.

Nguyen PT, Nakamura T, Hori E, Urakawa S, Uwano T, Zhao J, Li R, Bac ND, Hamashima T, Ishii Y, Matsushima T, Ono T, Sasahara M, Nishijo H. Cognitive and socio-emotional deficits in platelet-derived growth factor receptor- $\beta$  gene knockout mice. *PLoS One*. 2011 Mar 18;6(3):e18004.

Hasegawa T, Ishii Y, Yonezawa R, Yoneda N, Shima T, Nakashima A, Hidaka T, Saito S. Stage I ovarian cancer cases during early, mid and late pregnancy periods: three case reports and review of the literature. *J Obstet Gynaecol Res*. 2011 Jun;37(6):650-5.

Nogami T, Beppu H, Tokoro T, Moriguchi S, Shioda N, Fukunaga K, Ohtsuka T, Ishii Y, Sasahara M, Shimada Y, Nishijo H, Li E, Kitajima I. Reduced expression of the ATRX gene, a chromatin-remodeling factor, causes hippocampal dysfunction in mice. *Hippocampus*. 2011 Jun;21(6):678-87.

Nakagawa T, Izumino K, Ishii Y, Oya T, Hamashima T, Jie S, Ishizawa S, Tomoda F, Fujimori T, Nabeshima Y, Inoue H, Sasahara M. Roles of PDGF receptor-beta in the structure and function of postnatal kidney glomerulus. *Nephrol Dial Transplant*. 2011 Feb;26(2):458-68.

Suzuki H, Usui I, Kato I, Oya T, Kanatani Y, Yamazaki Y, Fujisaka S, Senda S, Ishii Y, Urakaze M, Mahmood A, Takasawa S, Okamoto H, Kobayashi M, Tobe K, Sasahara M. Deletion of platelet-derived growth factor receptor- $\beta$  improves diabetic nephropathy in  $\text{Ca}^{2+}$ /calmodulin-dependent protein kinase II $\alpha$  (Thr286Asp) transgenic mice. *Diabetologia*. 2011;54(11):2953-2962.

Dong XY, Sun X, Guo P, Li Q, Sasahara M, Ishii Y, Dong JT. ATBF1 inhibits ER function by selectively competing with AIB1 for binding to ER in ERpositive breast cancer cells. *The Journal of Biological Chemistry*. 2010;285(43):32801-9.

Zheng L, Ishii Y, Tokunaga A, Hamashima T, Shen J, Zhao QL, Ishizawa S, Fujimori T, Nabeshima Y, Mori H, Kondo T, Sasahara M. Neuroprotective effects of PDGF against oxidative stress and the signaling pathway involved. *J Neurosci Res*. 2010 May 1;88(6):1273-84.

Ohi Y, Ishii Y, Sasahara M, Haji A. Involvement of platelet-derived growth factor-BB and its receptor-beta in hypoxia-induced depression of excitatory synaptic transmission in the nucleus tractus solitarius of mice. *Journal of pharmacological sciences*. 2011;112(4):477-18.

Doshi M, Kuwatori Y, Ishii Y, Sasahara M, Hirashima Y. Hypothermia during Ischemia Protects against Neuronal Death but Not Acute Brain Edema following Transient Forebrain Ischemia in Mice. *Biol. Pharm. Bull.* 2009;32(12):1957-61.

Yamazaki T, Sabit H, Oya T, Ishii Y, Hamashima T, Tokunaga A, Ishizawa S, Jie S, Kurashige Y, Matsushima T, Furuta I, Noguchi M, Sasahara M. Activation of MAP kinases, Akt and PDGF receptors in injured peripheral nerves. *J Peripher Nerv Syst*. 2009 Sep;14(3):165-76.

Tsunekawa S, Ohi Y, Ishii Y, Sasahara M, Haji A. Hypoxic ventilatory response in platelet-derived growth factor receptor-beta-knockout mice. *Journal of pharmacological sciences*. 2009;110(3):270-275

Takasawa A, Kato I, Takasawa K, Ishii Y, Yoshida T, Shehata MH, Kawaguchi H, Mohafez OM, Sasahara M, Hiraga K. Mutation-, aging-, and gene dosage-dependent accumulation of neuroserpin (G392E) in endoplasmic reticula and lysosomes of neurons in transgenic mice. *J Biol Chem*. 2008 Dec 19;283(51):35606-13.

Kato I, Oya T, Suzuki H, Takasawa K, Ichsan AM, Nakada S, Ishii Y, Shimada Y, Sasahara M, Tobe K, Takasawa S, Okamoto H, Hiraga K. A novel model of insulin-dependent diabetes with renal and retinal lesions by transgenic expression of CaMKIIalpha (Thr286Asp) in pancreatic beta-cells. *Diabetes Metab Res Rev*. 2008 Sep;24(6):486-97.

Tokunaga A, Oya T, Ishii Y, Motomura H, Nakamura C, Ishizawa S, Fujimori T, Nabeshima Y, Umezawa A, Kanamori M, Kimura T, Sasahara M. PDGF receptor beta is a potent regulator of mesenchymal stromal cell function. *J Bone Miner Res*. 2008 Sep;23(9):1519-28.

Ishii Y, Matsumoto Y, Watanabe R, Elmi M, Fujimori T, Nissen J, Cao Y, Nabeshima Y, Sasahara M, Funa K. Characterization of neuroprogenitor cells expressing the PDGF beta-receptor within the subventricular zone of postnatal mice. *Mol Cell Neurosci*. 2008 Mar;37(3):507-18.

Ohi Y, Ishii Y, Haji A, Noguchi S, Sasaoka T, Fujimori T, Nabeshima Y, Sasahara M, Hattori Y. Platelet-derived growth factor (PDGF)-BB inhibits AMPA receptor-mediated synaptic transmission via PDGF receptor-beta in murine nucleus tractus solitarius. *Brain Res*. 2007 Jul 23;1159:77-85. Epub 2007 May 31.

Umemura K, Kato I, Hirashima Y, Ishii Y, Inoue T, Aoki J, Kono N, Oya T, Hayashi N, Hamada H, Endo S, Oda M, Arai H, Kinouchi H, Hiraga K. Neuroprotective role of transgenic PAF-acetylhydrolase II in mouse models of focal cerebral ischemia. *Stroke*. 2007 Mar;38(3):1063-8. Epub 2007 Feb 1.

Ishii Y, Oya T, Zheng L, Gao Z, Kawaguchi M, Sabit H, Matsushima T, Tokunaga A, Ishizawa S, Hori E, Nabeshima Y, Sasaoka T, Fujimori T, Mori H, Sasahara M. Mouse brains deficient in neuronal PDGF receptor-beta develop normally but are vulnerable to injury. *J Neurochem*. 2006 Jul;98(2):588-600.

Kashii T, Gomi T, Oya T, Ishii Y, Oda H, Maruyama M, Kobayashi M, Masuda T, Yamazaki M, Nagata T, Tsukada K, Nakajima A, Tatsu K, Mori H, Takusagawa F, Ogawa H, Pitot HC. Some biochemical and histochemical properties of human liver serine dehydratase. *Int J Biochem Cell Biol*. 2005 Mar;37(3):574-89.

Nogami S, Ishii Y, Kawaguchi M, Sakata N, Oya T, Takagawa K, Kanamori M, Sabit H, Obata T, Kimura T, Sasahara M. ZFH4 protein is expressed in many neurons of developing rat brain. *J Comp Neurol*. 2005 Jan 31;482(1):33-49.

Gao Z, Sasaoka T, Fujimori T, Oya T, Ishii Y, Sabit H, Kawaguchi M, Kurotaki Y, Naito M, Wada T, Ishizawa S, Kobayashi M, Nabeshima Y, Sasahara M. Deletion of the PDGFR-beta gene affects key fibroblast functions important for wound healing. *J Biol Chem*. 2005 Mar 11;280(10):9375-89.

Egawa-Tsuzuki T, Ohno M, Tanaka N, Takeuchi Y, Uramoto H, Faigle R, Funa K, Ishii Y, Sasahara M. The PDGF B-chain is involved in the ontogenic susceptibility of the developing rat brain to NMDA toxicity. *Experimental neurology*. 2004 186(1):89-98

Ishii Y, Kawaguchi M, Takagawa K, Oya T, Nogami S, Tamura A, Miura Y, Ido A, Sakata N, Hashimoto-Tamaoki T, Kimura T, Saito T, Tamaoki T, Sasahara M. ATBF1-A protein, but not ATBF1-B, is preferentially expressed in developing rat brain. *J Comp Neurol*. 2003 Oct 6;465(1):57-71.

Zhao YL, Takagawa K, Oya T, Yang HF, Gao ZY, Kawaguchi M, Ishii Y, Sasaoka T, Owada K, Furuta I, Sasahara M. Active Src expression is induced after rat peripheral nerve injury. *Glia*. 2003 Apr 15;42(2):184-93.

Koizumi F, Matsuno H, Wakaki K, Ishii Y, Kurashige Y, Nakamura H. Synovitis in rheumatoid arthritis: Scoring of characteristic histopathological features. *Pathology International*. 1999 49(4):298-304.